


Duplex-VARIANTIC® Coating



eifeler
COATINGS TECHNOLOGY



The Duplex-VARIANTIC® Advantage

eifeler Coatings Technology offers this high performance coating comprised of a specially developed plasma-nitriding process combined with a low temperature nano-layered PVD coating. Duplex-VARIANTIC was created to eliminate the drawbacks associated with high temperature treatments like TD and CVD processes while providing equivalent performance. Tools can be easily coated and stripped many times to maximize tool life without damage to the substrate.

The unique composition of Duplex-VARIANTIC is ideal for high pressure applications. Adhesive and abrasive wear is significantly reduced providing impressive production enhancements.

Benefits of Duplex-VARIANTIC:

- ▶ Improved Part Quality
- ▶ Higher Productivity
- ▶ Less Down Time
- ▶ Lower Tooling Costs
- ▶ Longer Tooling Life
- ▶ Reduced Lubricant Consumption

Features

The reduced application temperature of Duplex-VARIANTIC ensures that the metallurgical and dimensional characteristics of the coated tool are not compromised. The nano-layer composition greatly reduces stress and improves ductility under high loads. This prevents microcracks in the film thus increasing coating longevity.

Combined with a dense, fine grain structure Duplex-VARIANTIC offers improved lubricity, high hardness and anti-corrosive properties. The plasma-nitride layer improves the compressive strength of the substrate which results in improved coating support and associated production improvements.

- ▶ High Hardness
- ▶ Wear Resistance
- ▶ Toughness
- ▶ Low Coefficient of Friction
- ▶ Galling Resistance
- ▶ Corrosion Resistance
- ▶ High Temperature Stability



Applications

Duplex-VARIANTIC has been proven to offer performance enhancements to tools in many demanding applications. This coating can be applied to all tooling materials including:

- ▶ High Temperature Tempered D2
- ▶ Uddeholm Caldie®
- ▶ BÖHLER K340 ECOSTAR®/ISODUR® (8 percent Chromium tool steel)
- ▶ Uddeholm SuperClean P/M tool steels
- ▶ BÖHLER MICROCLEAR® tool steels and high speed steels
- ▶ Stainless and Carbide

Duplex-VARIANTIC offers excellent performance and protection to properly welded substrates, and has been proven to perform in the following applications:

- ▶ High strength metal forming
- ▶ Non-ferrous metal forming
- ▶ Cold forging
- ▶ Powder compaction
- ▶ Blanking and trimming
- ▶ Piercing
- ▶ Precision stamping and fine blanking
- ▶ Plastic injection molding and extrusion


Properties

Material: Titanium-Aluminum Carbo Nitride, TiAlCN (multi-layers)
Micro-hardness HV 0.05: 3500 ± 500
Coefficient of friction against steel 100Cr6: 0.2
Layer thickness: "with Duplex" 4-6 µm
Maximum service temperature: 800°C/1470°F
Color: Old Rose
Plasma nitriding: .002" - .004 case depth, zero white layer
Process temperature: 500°C (925°F) maximum (with Duplex process)



Performance

Greater than 50% improvement in tooling life over best PVD coating.



D2 forming die, coated with Duplex-VARIANTIC work material: hot rolled 1.0335 steel.

We take perfection personally.


Additional Coating Services

eifeler Coatings Technology can service all coating requirements from new tooling programs to the refurbishment and recoating of existing tools. Our capabilities include:

- ▶ Mechanical and Chemical Coating Removal
- ▶ Polishing
- ▶ Micro-Blasting
- ▶ PVD Coating of Small to Large Tooling
- ▶ Pick-up and delivery

The Duplex Advantage

Our proprietary Duplex system provides increased PVD performance using in-situ Plasma Nitriding prior to coating. The resulting surface preparation provides improved coating adhesion and support while improving wear resistance. The Duplex Advantage provides process and cost improvements you can rely on! Call us to arrange a visit from one of our Technical Sales Representatives.



Cross-Section with Diffusion Layer



eifeler Coatings Technology
3800 Commerce Drive
St. Charles, IL 60174
P: 630-587-1220
F: 630-587-1230
Email: sales@eifeler.us
www.eifeler.us

eifeler Coatings Technology
2222 Spikes Lane
Lansing, MI 48906
P: 517-708-8034
F: 517-913-6279
Email: sales@eifeler.us
www.eifeler.us

eifeler Coatings Technology
18687B Sheldon Road
Middleburg Heights, OH 44130
P: 216-658-3870
F: 216-658-3871
Email: sales@eifeler.us
www.eifeler.us



eifeler
COATINGS TECHNOLOGY